EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5995630".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 10:51
L2	2	"6314468".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 10:51
L3	2	"20020002468".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 10:51
L4	2	"6367012".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 10:52
L5	1710	hash with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 11:47
L6	311	hash near2 (function algorithm) with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 11:48
L7	331	hash near2 (function algorithm) with (format file near1 type\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 11:49
L8	89	hash near2 (function algorithm) with (format file near1 type\$1) and @ad<"20020916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/01/26 11:49
L9	2	"5768526".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/01/26 12:52
L10	2	"6314468".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 12:52
L12	46	hash near2 (function algorithm) with (format file near1 type\$1) and valid and @ad<"20020916"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2011/01/26 13:48

S1	0	choi.in. and metadate	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 14:18
S2	73	choi.in. and metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 14:25
S3	7	choi.in. and metadata and authenticat\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 14:29
S4	16	samsung.as. and metadata and authenticat\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:07
S5	138	authenticat\$5 with metadata and @ad<= "20030303"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:39
S6	61	authenticat\$5 with metadata and metadata with (block\$1 chunk\$1 segment\$1 fragment \$1 element\$1) and @ad<= "20030303"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:31
S7	7	conwell.in. and metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:35
S8	200	"6226618"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:37
S9	11	"5539586"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:37
S10	1120	713/168.cds. and @ad< = "20030303"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 15:39
S11	22	713/168.cds. and metadata and @ad<= "20030303"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 16:09
S12	83	713/176 ccls. and metadata and @ad<= "20030303"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 16:09
S13	18	713/176.ccls. and metadata and ("XML" extensible adj markup adj language) and @ad<="20030303"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 16:10

S14	4	713/176.ccls. and authenticat \$5 with metadata and ("XML" extensible adj markup adj language) and @ad<= "20030303"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/22 23:34
S15	61	authenticat\$5 with metadata and ("XML" extensible adj markup adj language) and @ad<="20030303"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 16:36
S16	32	authenticat\$5 with metadata and ("XML" extensible adj markup adj language) and hash\$3 and @ad<="20030303"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/29 16:37
S17	24	"6598134"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/01/31 10:06
S18	2	"20030120928"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/22 12:10
S20	1278	(partion\$3 divid\$3 portion\$3 segment\$3 fragment\$3 section\$3 split\$4 cut\$4) near metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/22 23:41
S21	1354	(partition\$3 divid\$3 portion \$3 segment\$3 fragment\$3 section\$3 split\$4 cut\$4) near metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/22 23:41
S22	610	(partition\$3 divid\$3 portion \$3 segment\$3 fragment\$3 section\$3 split\$4 cut\$4) near metadata and (authenticat\$4 authorizat\$6 verif\$5 validat \$7)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/22 23:43
S23	209	(partition\$3 divid\$3 portion \$3 segment\$3 fragment\$3 section\$3 split\$4 cut\$4) near metadata and (authenticat\$4 authorizat\$5 verif\$5 validat \$7) with metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/23 00:12
S24	457	[partition\$3 divid\$3 portion \$3 segment\$3 fragment\$3 section\$3 split\$4 cut\$4) near metadata and (authenticat\$4 authorizat\$6 verif\$5 validat \$7) and (generat\$3 creat\$3) with metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/23 00:13

\$25	110	(partition\$3 divid\$3 portion \$3 segment\$3 fragment\$3 section\$5 split\$4 cut\$4) near metadata and (authenticat\$4 authorizat\$6 verifs5 validat \$7) and (generat\$3 creat\$3) with (predetermin\$3 pre adj select\$3 selected) with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/23 15:03
S26	36	"6233341"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 13:53
S27	1575	(authenticat\$3 authorizat\$3 verif\$7 validat\$6) with metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 13:55
S28	8	(authenticat\$3 authorizat\$3 verif\$7 validat\$6) with metadata with (chang\$3 alter \$3) with (send\$3 transmit\$4 transfer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 14:05
S29	334	(authenticat\$3 authorizat\$3 verif\$7 validat\$6) with metadata and (digest\$3 hash \$3 signature\$1 SHA-1) with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 14:09
S30	104	(authenticat\$3 authorizat\$3 verif\$7 validat\$6) with metadata and (digest\$3 hash \$3 signature\$1 SHA-1) with metadata and container\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 15:41
S31	56	(authenticat\$3 authorizat\$3 verif\$7 validat\$6) with metadata and (digest\$5 hash \$3 signature\$1 SHA-1) with metadata and (segment\$3 portion\$3 chunk\$3 fragment \$3) near metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 15:50
S32	85	(authenticat\$3 authorizat\$3 verif\$7 validat\$6) and (digest \$3 hash\$3 signature\$1 SHA- 1) and (segments portions chunks fragments partitions) near metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 17:09
S33	14	"6973549"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/24 18:01
S34	2	"20030120928"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/25 13:00

S35	2	"20030210711"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/25 14:19
S36	2	"20040136537"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2007/07/25 14:19
S37	7383	metadata.dm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 14:33
S38	1031	hash\$3 and metadata.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 14:35
S39	672	(authenti\$7 authoriz\$7 verif \$7) and hash\$3 and metadata.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 14:36
S40	539	(encrypt\$3 encod\$3 encipher \$3 cipher\$3 scrambl\$3) and (authenti\$7 authoriz\$7 verif \$7) and hash\$3 and metadata.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 14:37
S41	36	(encrypt\$3 encod\$3 encipher \$3 cipher\$3 scrambl\$3) and (authenti\$7 authoriz\$7 verif \$7) and hash\$3 and metadata near1 (portion\$1 segment\$1 fragment\$1 chunk \$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:51
S42	5	7043637"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:21
S43	2	"20030120928"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:45
S44	23	"6948070"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:22
S45	250469	SAMSUNG as.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:45
S46	345	SAMSUNG.as. and metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:46

S47	13	SAMSUNG.as. and metadata with authenti\$7	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:47
S48	5	"0768774"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:47
S49	23	"768774"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:47
S50	10	"1515247"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:54
S51	4	"7209571"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 15:54
S52	59	("20010026618" "2001001066" "20010049768" "2001001049768" "2002001049768" "20020010355" "20020051577" "200200202355" "200200222561 "20020122668 "20020122668 "2002011684" "20030126432" "20030126432" "20030126432" "20030126432" "5303465" "549224" "5593568" "564719" "5547025" "5547025" "5547025" "5547025" "5547025" "5547025" "5547025" "564711" "56461837" "6226618" "623347" "6226618" "623347" "624480" "6497051" "6549022" "6557022" "665932" "6654932" "6654932" "6654932" "6654932" "6654932" "6654932" "6654932" "6654932" "6654932" "6654932" "6661807" "6661807" "6678332" "6661807" "6678332" "661807" "6678332" "66683966"	US-PGPUB; USPAT; USOOR	OR	OFF	2008/01/04

		"6968564").PN.				
S53	0	metadata near snapshots.ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 15:59
S54	2	metadata with snapshots.ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 16:02
S55	1	"7146377".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 16:02
S56	30	("20020056126" "20020059172" "200200591710" "20030200197" "20030200197" "554032" "5276867" "5583240" "6021508" "5983240" "6021508" "6023579 "6032216" "6044217 "604756" "6126621" "6214048" "6240416" "6240428" "6260401" "6240488" "6260401" "6276867" "6279011" "6295687" "6279011" "6295688" "6339793" "6405198" "6660688 "6681227" "6820085" "6973455").FN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04
S57	87897	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1 section\$1 piecs\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:16
S58	1332	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1 section\$1 piece\$1) and (pick\$3 select \$3 choos\$3) with (pre \$1 determin\$3 pre\$1 select\$3) with (divid\$3 split\$4 partition \$1 seperat\$3) re\$1 seperat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:18
S59	3359	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information flis\$1 content\$1 packet\$1 frame\$1) with (sagment\$1 portion\$1 chunk \$1 fragment\$1 section\$1 piece\$1) and (pick\$3 select \$3 choos\$3) with (pre \$1 determin\$3 pre\$1 select\$3) with (sagment\$1 portion\$1 chunk\$1 fragment\$1 portion\$1 section\$1 shoos\$1 select\$3	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:29

S60	***************************************	(divid\$3 split\$4 partition\$1 separat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1 section\$1 pices\$1) and (pick\$3 select \$3 choos\$3) with (pre \$1determin\$2 pre\$1 select\$3) with (segment\$1 portion\$1 chunk\$1 fragment\$1 section\$1 split\$1 portion\$1 chunk\$1 fragment\$1 section\$1 pripos\$1) and hash\$3	US-POPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04
S61	49	doan adj trang	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:23
S62	106	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1 section\$1 piece\$1) and (pick\$3 select \$3 choos\$3) with (pre \$1 determin\$3 pre\$1 select\$3) with (segment\$1 portion\$1 chunk\$1 fragment\$1 section \$1 piece\$1) and signature	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:30
S63	2886	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1 section\$1 pieos\$1) and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:31
S64	2039	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1) and signature	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:31
S65	732	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1) and hash\$3 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:35

S66	283	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1) and hash\$3 and signature and container \$1	US-PGPUB; USPAT; USOCR; EFO; JPO; DERWENT	OR	OFF	2008/01/04 16:31
S67	6	(divid\$3 split\$4 partition\$1 seperat\$3) with (data information file\$1 content\$1 packet\$1 frame\$1) with (segment\$1 portion\$1 chunk \$1 fragment\$1) with hash\$3 and signature and container \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:33
S68	8	(divid\$3 split\$4 partition\$1 seperat\$3) with (segment\$1 portion\$1 chunk\$1 fragment \$1) with hash\$3 and signature and container\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:34
S69	6938	(data information file\$1 content\$1 packet\$1 frame \$1) with (segment\$1 portion \$1 chunk\$1 fragment\$1) and hash\$3 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:35
S70	1241	(data information file\$1 content\$1 packet\$1 frame \$1) with (segment\$1 portion \$1 chunk\$1 fragment\$1) and hash\$3 and signature and container\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:35
S71	96	(data information file\$1 content\$1 packet\$1 frame \$1) with (segment\$1 portion \$1 chunk\$1 fragment\$1) with hash\$3 and signature and container\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:36
S72	3	predetermin\$3 near (segment \$1 portion\$1 chunk\$1 fragment\$1) with hash\$3 and signature and container \$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:39
S73	1	(predetermin\$3 near (segment\$1 portion\$1 chunk \$1 fragment\$1) with hash\$3). clm. and signature and container\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:39
S74	25	(predetermin\$3 near (segment\$1 portion\$1 chunk \$1 fragment\$1) with hash\$3). clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:41

S75	0	(signnature and predetermin \$3 near (segment\$1 portion \$1 chunk\$1 fragment\$1)). clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:41
S76	1133	(select\$1 and predetermin\$3 near (segment\$1 portion\$1 chunk\$1 fragment\$1)).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:41
S77	1833	(select\$3 with predetermin\$3 near (segment\$1 portion\$1 chunk\$1 fragment\$1)).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:42
S78	205	(select\$3 near predetermin \$3 near (segment\$1 portion \$1 chunk\$1 fragment\$1)). clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:42
S79	3	(select\$3 near predetermin \$3 near (segment\$1 portion \$1 chunk\$1 fragment\$1) and hash\$3).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:43
S80	5	(select\$3 near predetermin \$3 near (segment\$1 portion \$1 chunk\$1 fragment\$1) and signature\$1).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/01/04 16:43
S81	7	error\$1 with meta adj data. ti.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/02 10:08
S82	3	"7181647"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/02 10:09
S83	8	"6959288"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/02 10:12
S84	4	"6823436"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/07/02 10:59
S85	8	"6959288"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/02 16:01
S86	4	"6823436"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/02 16:06
S87	2654	metadata with (segments parts portions chunks fragments)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/07/03 22:27

S88	113	divid\$3 with metadata with (segments parts portions chunks fragments)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/03 22:27
S89	О	plit\$4 with metadata with (segments parts portions chunks fragments)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/03 22:43
S90	19	split\$4 with metadata with (segments parts portions chunks fragments)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/03 22:45
S91	4	"6823436"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/05 21:48
S92	8	"6959288"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2008/07/06 16:52
S93	2154	metadata with content\$1 with (reproduc\$3 record\$3 transmit\$5)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/21 23:52
S94	4	metadata with content\$1 with (reproduc\$3 record\$3 transmit\$5) and (integrity confident\$7) with metadata with transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/21 23:54
S95	2	"20030120928"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:05
S96	63	"6167385"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:05
S97	2	"20030120928"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:42
S98	5	"6823436"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:45
S99	9	"6959288"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:46
S100	19	meta\$data with divid\$4 with unit\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:49

S101	7	meta near1 data with divid\$4 with unit\$1.ab.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:51
S102	3	meta near1 data with divid\$4 with unit\$1.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:52
S103	157	(meta\$data meta adj data meta near1 data) with (divid \$4 split\$4 partition\$3) with unit\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/03/22 00:57
S104	2	"20020103920"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/05/07 13:29
S105	11	"6959288"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/05/07 15:16
S106	11	"7209571"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/05/07 17:29
S107	193464	(metadata label header certificate) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1 divid\$3 split\$4)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:14
S108	10459	"707"/\$.ccls. and (metadata label header certificate) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1 divid\$3 split\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:15
S109	2071	"707"/\$.ccls. and (metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:17
S110	433	"707"/\$.ccis. and (metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1).bsum.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:18
S113	539	"707"/\$.ccls. and ((metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1)).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:19

S114	99	"707"/\$.ccls. and ((metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1)).clm. and hash\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:19
S115	375	((metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1)) with (hash\$3 digest\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:28
S116	66	((metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1)) with (hash\$3 digest\$1).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:29
S117	79	((metadata label header certificate) with (generat\$3 creat\$3 divid\$3 spit\$4) with (segment\$1 portion\$1 part\$1 fragment\$3 chunk\$1)) same (hash\$3 digest\$1).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/10 00:29
S118	8577	(partion\$3 divid\$3 portion\$3 segment\$3 fragment\$3 section\$3 split\$4 cut\$4) with metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 09:44
S119	344	(partion\$3 divid\$3 portion\$3 segment\$3 fragment\$3 section\$3 split\$4 chunk\$1) with hash\$3 with digest	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 09:52
S120	1294	(partion\$3 divid\$3 portion\$3 segment\$3 fragment\$3 section\$3 split\$4 chunk\$1) with hash\$3 and specif\$3 with algorithm\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 09:53
S121	325	(partion\$3 divid\$3 portion\$3 segment\$3 fragment\$3 section\$3 split\$4 chunk\$1) with hash\$3 and specif\$3 with hash\$3 with algorithm \$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10
S123	5	(partion\$3 divid\$3 portion\$3 segment\$3 fragment\$3 section\$3 split\$4 chunk\$1) with hash\$3 and header with speci\$3 with hash\$3 with algorithm\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 10:04
S124	36	header with specif\$3 with hash\$3 with (algorithm\$1 method\$1 procedure\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 10:08

S125	88	header with (specif\$3 designat\$3 indicat\$3 assign \$3) with hash\$3 with (algorithm\$1 method\$1 procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 10:09
S126	2	"20020188614"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 10:25
S127	1380	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with (hash\$3 checksum\$1 signature\$1) with format\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:08
S128	924	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with (hash\$3 checksum\$1 signature\$1) with flag\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:09
S130	1731	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with (hash\$3 checksum\$1 signature\$1) with header\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:12
S131	6	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with (hash\$3 checksum\$1 signature\$1) with header\$1 and header with (algorithm hash) adj type\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:13
S132	3798	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with specif\$3 with (hash\$3 checksum\$1 signature\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:18
S133	9	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with specif\$3 with (hash\$3 checksum\$1 signature\$1) and format\$4 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:19

S134	O	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tres\$1 vector\$1 list \$1 array\$1) with specif\$2 with (hash\$3 checksum\$1 signature\$1) and hash\$1 near1 (algorithm\$1 method \$1 calculat\$3 procedure\$1) with (binary adj xml text adj xml)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:24
S135	O	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with specif\$3 with (hash\$3 checksum\$1 signature\$1) and hash\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:25
S136	0	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with specif\$3 with (hash\$3 checksum\$1 signature\$1) and header\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:25
S137	6	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with (hash\$3 checksum\$1 signature\$1) and header\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:25
S138	2	(container\$1 data adj structure\$1 class\$2 table\$1 stack\$1 tree\$1 vector\$1 list \$1 array\$1) with (hash\$3 checksum\$1 signature\$1) and hash\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:26
S139	0	707/100.ccls. and (container \$1 data adj structure\$1 class \$2 table\$1 stack\$1 tree\$1 vector\$1 lisi\$1 array\$1) with (hash\$3 checksum\$1 signature\$1) and hash\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:49
S140	1	"707"/\$ ccls and (container \$1 data adj structure\$1 class \$2 table\$1 stack\$1 tree\$1 vector\$1 list\$1 array\$1) with (hash\$3 checksum\$1 signature\$1) and hash\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10

S141	1	"707"/\$.ccls. and (hash\$3 checksum\$1 signature\$1) and hash\$1 with (binary adj xml text adj xml)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 11:50
S142	44	"7151831"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 12:31
S143	1	"20040123109".pn. and digest\$3 with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 13:01
S144	44	"7127619"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/10 14:45
S145	4	"20040181666"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/11 15:48
S146	10	"1407574"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/11 15:50
S147	2	"7555123"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/11 15:53
S148	3	"20030026423"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/11 15:56
S149	15	"6959288"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 11:29
S150	2	"20030120928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 11:46
S151	507	header\$1 with (hash\$2 digest \$1 signature\$1) with format \$4	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 11:55
S152	17	header\$1 with (hash\$2 digest \$1 signature\$1) with format \$4 adj (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 11:55
S153	20	header\$1 with (hash\$2 digest \$1 signature\$1) with format \$4 adj (data information identification identif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 11:56

S154	32	header\$1 with (hash\$2 digest \$1 signature\$1) with format \$4 .clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 12:44
S155	29	header\$1 with (hash\$2 digest \$1 signature\$1) with format \$4.bsum.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 13:15
S156	46	(chunks parts portions segments fragments) with hash\$3 with digest\$1 and header	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:11
S157	0	(chunks parts portions segments fragments) with hash\$3 with digest\$1 and container\$1 with digest\$1 with format\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:26
S158	0	(chunks parts portions segments fragments) with hash\$3 with digest\$1 and container\$1 with digest\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:26
S159	0	(chunks parts portions segments fragments) with hash\$3 with digest\$1 and container\$1 with format\$4	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:26
S160	28	(chunks parts portions segments fragments) with hash\$3 with digest\$1 and container\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:26
S161	323	type\$1 with hash\$2 with (XML binary text)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:33
S162	109	type\$1 with hash\$2 with (XML binary text) with (header\$1 container\$1 data adj structure\$1 wrapper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 14:33
S163	91	"6367012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 15:07
S164	2	"20020188614"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 15:31
S165	2	"20030120928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/16 15:32
S166	2	"20030120928"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 09:52

S167	1	(pre\$select\$3 predetermin \$3) with (chunks parts portions segments fragments) with hash\$3 with digest\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 09:56
S168	94	(pre\$select\$3 predetermin \$3) with (chunks parts portions segments fragments) with hash\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 09:56
S169	44	(pre\$select\$3 predetermin \$3) with (chunks parts portions segments fragments) with hash\$3.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 09:56
S170	2	"20020188614"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:14
S171	6	header with hash adj type	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:17
S172	70	header with hash with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:18
S173	0	header with hash near format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:18
S174	70	header with hash with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:18
S175	853	header with (predetermin\$3 preselect\$3) with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:18
S176	542	header with (predetermin\$3 preselect\$3) with data with format	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:19
S177	158	header with (predetermin\$3 preselect\$3) with data with format.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:19
S178	0	header with (predetermin\$3 preselect\$3) with data with format with hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:21
S179	0	header with (predetermin\$3 preselect\$3) with format with hash	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:22

S180	24	(predetermin\$3 preselect\$3) with format with hash	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:22
S181	4	(predetermin\$3 preselect\$3) with hash with (XML text near1 XML)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:24
S182	394	hash with (XML text near1 XML)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10: 2 5
S183	39	hash with (XML text near1 XML).clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:25
S184	2	hash with (text) with format. clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:29
S185	4914	(preselect\$3 predetermin\$3) with data with format.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:30
S186	21	data near1 format with (selected preselect\$3 predetermin\$3) with metadata.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:31
S187	0	header with authentication adj flag.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:49
S188	12	header with authentication adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:49
S189	12	header with authentication near flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:50
S190	63	header with authentication with flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:50
S191	2	header with authentication with flag.clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:50
S192	20	authentication near1 flag. clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:51

S193	243	authentication near1 level. clm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:54
S194	2	metadata with authentication near1 level.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:54
S195	21	signature with (chunks parts portions segments fragments) with encryption near1 key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/17 10:57
S196	2	(text adj xml and binary adj xml) with container\$1	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/20 22:36
S197	9	(text adj xml and binary adj xml) with (message\$1 header \$1 packet\$1 frame\$1 bod\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/20 22:37
S198	16	(text adj xml and binary adj xml) with (format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/20 22:37
S199	17	(text adj xml and binary adj xml) with (format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:38
S200	5	(text adj xml and binary adj xml).dm.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:39
S201	5	(text near1 xml and binary near1 xml).dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:39
S202	14	(text near1 xml and binary near1 xml).bsum.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:39
\$203	4	(text near1 xml and binary near1 xml) with (chunk\$1 segment\$1 fragment\$1 portion\$1 part\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:41
S204	218	(text near1 xml or binary near1 xml) with (chunk\$1 segment\$1 fragment\$1 portion\$1 part\$1)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:41
S205	52	(text near1 xml or binary near1 xml) with (chunk\$1 segment\$1 fragment\$1 portion\$1 part\$1) with format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:41

S206	69	(text near1 xml or binary near1 xml) with metadata	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/20 22:44
S207	3345	(extract\$3 pars\$3) with (xml) with (content message frame header stream)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2009/12/21 14:55
S208	3345	(extract\$3 pars\$3) with (xml text near1 xml) with (content message frame header stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/21 14:55
S209	46	(extract\$3 pars\$3) with (xml and text near1 xml) with (content message frame header stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/21 14:55
S210	1	(filter\$3) with (xml and text near1 xml) with (content message frame header stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/12/21 15:01
S211	13	"5768526"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/21 15:10
S212	2	"20020188614"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/12/21 15:12
S213	53	meta\$data with digest\$1 with hash\$3	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2009/12/21 15:13
S214	2187	header with data adj format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:33
S215	1027	header with data adj format and @ad< "20020916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:33
S216	3	header with data adj format with authen\$8 and @ad<"20020916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:33
S217	21	header with data adj format and metadata and @ad<"20020916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:34
S218	96	header with data adj format. clm. and @ad<"20020916"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:45

\$219	165	header with format with (selected predefined preselected predetermined) with (segment frame data frame portion).dm. and @ad<"20020916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:58
S220	18	header with format adj (data information) with (selected predefined preselected predetermined) with (segment frame data frame portion), clm. and @ade*20020916*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 17:59
S221	2	header with format adj (data information) with (selected predefined preselected predefined predefined predefined predefined predefined) with (segment frame data frame portion), ab, and @ad<"20020916"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 18:03
S222	46	"5646941"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2010/07/17 18:05
S223	2	"5646941".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2010/07/17 18:05
S224	2	"20020188614"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2010/07/17 18:25
S225	15	"5768526"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	ON	2010/07/17 21:15
S226	28	header with format with hash \$3 and @ad<"20020916"	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT	OR	OFF	2010/07/17 21:32

1/26/2011 2:03:16 PM

C:\ Documents and Settings\ tdoan2\ My Documents\ EAST\ Workspaces\ 10662812.wsp